According to 29 CFR 1900/1200 and GHS Rev. 3 PTL Safe & Sound Surface and Hand Sanitizer



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.22.2020

 1.1
 05.20.2020
 PTI-2020-0001
 Date of first issue: 05.22.2020

ECTION 1. IDENTIFICATION

Product Name: PTI Safe & Sound Surface and Hand Sanitizer. All package sizes.

Manufacturer or supplier's details

Company name of supplier : Protective Technologies, Ltd.

Address : 4612 Sawmill Rd., Upper Arlington, OH 43220

Telephone (Information) : 1 (614) 535-8622

Emergency telephone : CHEM TEL, Inc. 1-800-255-3924, +1 (813) 248-0585

Recommended use of the chemical and restrictions on use

Recommended use : Hand Sanitizer

Restrictions on use : This is a personal care or cosmetic product that is safe for consumers and other

users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from

the requirement of an SDS for the consumer. While this material is not

considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product.

For specific intended-use guidance, please refer to the information

provided on the package or instruction sheet

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 3
Eye irritation : Category 2A
GHS Label element : Hazard pictograms



Signal Word : Warning

Hazard Statements : H226 Flammable liquid and vapor.

: H319 Causes serious eye irritation.

According to 29 CFR 1900/1200 and GHS Rev. 3 PTL Safe & Sound Surface and Hand Sanitizer

: Harmful if swallowed : Harmful if inhaled

Precautionary Statements

: Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces. -

No smoking.

P233 Keep container tightly closed.

P241 Use explosion-proof electrical/ventilating/lighting/

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

According to 29 CFR 1900/1200 and GHS Rev. 3

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards- Vapors may form explosive mixture with air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical Name CAS-No. Concentration (%)

Propan-2-ol >= 75% 67-63-0

SECTION 4. FIRST AID MEASURES

General advice In the case of accident or if you feel unwell, seek medical advice immediately.

When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air. Get medical attention if symptoms occur.

In case of skin contact

occur

: Wash with water and soap as a precaution. Get medical attention if symptoms

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15

minutes. If easy to do, remove contact lens, if worn. Get medical attention.

: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms If swallowed

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed

: Causes serious eye irritation.

According to 29 CFR 1900/1200 and GHS Rev. 3 PTL Safe & Sound Surface and Hand Sanitizer

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the

recommended personal protective equipment when the potential for exposure

exists.

Notes to physician : Treat symptomatically and supportively.

Suitable extinguishing media : Water spray,

Alcohol-resistant foam

Dry chemical

Carbon dioxide (CO2)

SECTION 5. FIRE-FIGHTING MEASURES

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire fighting:

Do not use a solid water stream as it may scatter and spread fire.

Flash back possible over considerable distance. Vapors may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion products Carbon oxides

Specific extinguishing methods: Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do so.

Evacuate area.

Special protective equipment for fire-fighters

: In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Use personal protective equipment.

Follow safe handling advice and personal protective equipment commendations.

Environmental precautions: Discharge into the environment must be avoided.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up:

Non-sparking tools should be used. Soak up with inert absorbent material.

Suppress (knock down) gases/vapors/mists with a water spray jet.

According to 29 CFR 1900/1200 and GHS Rev. 3 PTL Safe & Sound Surface and Hand Sanitizer

For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.

Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You

will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures: See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation: Use with local exhaust ventilation.

Use only in an area equipped with explosion proof exhaust ventilation.

Advice on safe handling: Do not breathe vapors or spray mist.

Do not swallow. Do not get in eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety practice.

Non-sparking tools should be used. Keep container tightly closed.

Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage: Keep in properly labeled containers.

Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Keep away from heat and sources of ignition.

Materials to avoid: Do not store with the following product types:

Strong oxidizing agents. Organic peroxides Flammable solids Pyrophoric liquids Pyrophoric solids

Self-heating substances and mixtures

Substances and mixtures which in contact with water emit

flammable gases Explosives Gases

Ingredients	Ingredients CAS NO. Value expo		Control Parameters/permissible concentration	Basis
Propanol-2-ol	64-63-0	TWA	200 ppm	ACGIH

According to 29 CFR 1900/1200 and GHS Rev. 3 PTL Safe & Sound Surface and Hand Sanitizer

STEL	400 ppm	ACGIH
TWA	400 ppm/ 980 mg/m3	NIOSH REL
ST	500 ppm/1225 mg/m3	NIOSH REL
TWA	400 ppm/ 980 mg/m3	OSHA Z-1

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION Ingredients with workplace control parameters

Biological Occupational Exposure Limits

Ingredients	CAS NO	Control Parameters	Biological Specimen	Sampling time	Permissible Concentration	Basis
Propanol-2-ol	64-63-0	Acetone	Urine	End of shift @ end of work week.	40mg/l	ACGIH-BEI

Engineering measures: Minimize workplace exposure concentrations.

Use only in an area equipped with explosion proof exhaust ventilation.

Use with local exhaust ventilation.

Personal protective equipment

Respiratory protection:

General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn

Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection Material: Impervious gloves.

Material: Flame retardant gloves.

Remarks: Choose gloves to protect hands against chemicals depending on the

concentration specific to place of work. Breakthrough time is not determined for

the product. Change gloves often!

For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands

before breaks and at the end of workday.

Eye protection: Wear the following personal protective equipment: Safety Goggles

According to 29 CFR 1900/1200 and GHS Rev. 3 PTL Safe & Sound Surface and Hand Sanitizer

Skin and body protection: Select appropriate protective clothing based on chemical resistance data and an

assessment of the local exposure potential.

Wear the following personal protective equipment: Flame retardant antistatic protective clothing.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Hygiene measures: Ensure that eye flushing systems and safety showers are located close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Clear, Water-thin liquid.
Color : Clear, no color, transparent.

Odor : Neutral-None.
Odor Threshold : No data available
pH : Neutral 7-7.5
Melting point/freezing point : No data available

Initial boiling point and boiling : 73 °C

range

Flash point : 25 °C

Evaporation rate : No data available Flammability (solid, gas) : Not applicable Upper explosion limit : No data available Lower explosion limit : No data available Vapor pressure : No data available Relative vapor density : No data available Density : 0.881 g/cm3

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-octanol/ : Not Applicable

water

Autoignition temperature : No data available

Decomposition temperature : The substance or mixture is not classified self-reactive.

Viscosity, cps : 1

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Flammable liquid and vapor.

Vapors may form explosive mixture with air. Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks. Incompatible materials : Oxidizing agents

According to 29 CFR 1900/1200 and GHS Rev. 3 PTL Safe & Sound Surface and Hand Sanitizer

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Ingredients:

Propan-2-ol:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg Acute inhalation toxicity : LC50 (Rat): 72.6 mg/l

> Exposure time: 4 h Test atmosphere: vapor

Acute dermal toxicity :: LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Result: No skin irritation

Ingredients:

Propan-2-ol: Species: Rabbit

Result: No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Ingredients:

Propan-2-ol:

Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

Product:

Assessment: Does not cause skin sensitization.

Ingredients:

Propan-2-ol:

Test Type: Buehler Test

Routes of exposure: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

According to 29 CFR 1900/1200 and GHS Rev. 3 PTL Safe & Sound Surface and Hand Sanitizer

Result: negative

Germ cell mutagenicity

Not classified based on available information.

Ingredients:

Propan-2-ol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)

Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Carcinogenicity

Not classified based on available information.

Ingredients:

Propan-2-ol: Species: Rat

Application Route: inhalation (vapor)

Exposure time: 104 weeks

Method: OECD Test Guideline 451

Result: negative

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified

as probable, possible or confirmed human carcinogen by IARC.

OSHA No ingredient of this product present at levels greater than or equal to 0.1% is identified

as a carcinogen or potential carcinogen by OSHA.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified

as a known or anticipated carcinogen by NTP.

Ingredients:

Propan-2-ol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

According to 29 CFR 1900/1200 and GHS Rev. 3 PTL Safe & Sound Surface and Hand Sanitizer

Reproductive toxicity Not classified based on available information.

STOT-single exposure

Not classified based on available information.

According to 29 CFR 1900/1200 and GHS Rev. 3 PTL Safe & Sound Surface and Hand Sanitizer

Ingredients: Propan-2-ol:

Assessment: May cause drowsiness or dizziness.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Ingredients: Propan-2-ol: Species: Rat NOAEL: 5000 ppm

Application Route: inhalation (vapor)

Exposure time: 104 w

Method: OECD Test Guideline 413

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

: EC50 (Daphnia magna (Water flea)): > 10,000 mg/l

Ecotoxicity Ingredients:

Propan-2-ol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l

Exposure time : 96 h

Toxicity to daphnia and other

aquatic invertebrates Exposure time: 24 h

Toxicity to algae : ErC50 (Scenedesmus quadricauda (Green algae)): > 1,800 mg/l

Exposure time: 8 d

Toxicity to bacteria : EC50 (Pseudomonas putida): > 1,050 mg/l

Exposure time: 16 h

Persistence and degradability

Ingredients:

Propan-2-ol:

Biodegradability : Result: rapidly degradable

Bioaccumulative potential

Ingredients: Propan-2-ol:

Partition coefficient: n-octanol/ : log Pow: 0.05

water

Mobility in soil

No data available

According to 29 CFR 1900/1200 and GHS Rev. 3 PTL Safe & Sound Surface and Hand Sanitizer

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Dispose of as unused product.

Empty containers should be taken to an approved waste handling site for recycling or

disposal.

Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG

UN number: UN 1987

Proper shipping name: ALCOHOLS, N.O.S.

(Propan-2-ol)

Class : 3 Packing group : III Labels : 3

IATA-DGR

UN/ID No. : UN 1987 Proper shipping name : Alcohols, n.o.s.

(Propan-2-ol)

Class : 3

Packing group : III

Labels : Flammable Liquids

Packing instruction (cargo: 366

aircraft)

Packing instruction :355

(passenger aircraft)

IMDG-Code

UN number : UN 1987

Proper shipping name : ALCOHOLS, N.O.S.

(Propan-2-ol)

Class : 3
Packing group : III
Labels : 3
EmS Code : F-E, S-D
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

According to 29 CFR 1900/1200 and GHS Rev. 3 PTL Safe & Sound Surface and Hand Sanitizer

49 CFR

UN/ID/NA number : UN 1987

Proper shipping name : ALCOHOLS, N.O.S.

Class : 3 Packing group : III

Labels : FLAMMABLE LIQUID

ERG Code : 127 Marine pollutant : no

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Fire Hazard

Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section

302.

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section

313:

Propan-2-ol 67-63-0 3.4086 %

US State Regulations

Pennsylvania Right To Know

Water 7732-18-5 30 - 50 % Propan-2-ol 67-63-0 1 - 5 %

New Jersey Right To Know

Water 7732-18-5 30 - 50 % Propan-2-ol 67-63-0 1 - 5 %

California Prop 65 This product does not contain any chemicals known to the State of California to cause

cancer, birth, or any other reproductive defects.

The ingredients of this product are reported in the following inventories:

REACH : All ingredients (pre-)registered or exempt.

TSCA : All chemical substances in this material are included on or exempted from listing on the TSCA

Inventory of Chemical Substances.

DSL : All chemical substances in this product comply with the CEPA 1999 and NSNR and are on or

exempt from listing on the Canadian Domestic Substances List (DSL).

AICS : All ingredients listed or exempt.

According to 29 CFR 1900/1200 and GHS Rev. 3 PTL Safe & Sound Surface and Hand Sanitizer

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), NECSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information

NFPA:



Special hazard.

HMIS III:



0 = not significant, 1 = Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour

workweek

NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be exceeded at any time during a

workday

OSHA Z-1 / TWA : 8-hour time weighted average

Sources of key data used to compile the Safety Data Sheet

: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Revision Date : 05.20.2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in

the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS Material in the user's end product, if applicable.